REFERENCES

1. Armanini; D, Fiore; C, Matterello; M.J, Bielenberg; J *et al.* (2002) "History of the endocrine effects of licorice", ***Experimental and Clinical Endocrinology & Diabetes***, Vol. 110, 1–5.
2. Balunas; JM and Kinghorn; AD. (2005) "Drug discovery from medicinal plants", ***Life Sci***, Vol. 78, 431-441,
3. Biondi; DM, Rocco; C, and Ruberto; G (2005) "Dihydrostilbene derivatives from *Glycyrrhiza glabra* leaves", ***J Nat Prod***, Vol. 68, 1099–1102.
4. Butler; MS. (2004) "The role of natural product chemistry in drug discovery", ***J. Nat. Prod***, Vol. 67(12), 2141-2153.
5. Cragg; GM, Grothaus; PG and Newman DJ. (**2009**) "Impact of Natural Products on Developing New Anti-Cancer Agents", ***Chem. Rev.***, Vol. 109, 3012–3043.
6. Chopra; RN, Chopra; IC, Handa; KL and Kapur; LD. (1958) "Indigenous Drugs of India", ***Dhur & Sons Private Ltd***., Calcutta, p. 183.
7. Canonica; L, Russo; G and Bonati; A (1966) "Triterpenes of *Glycyrrhiza glabra*. Two new lactones with an oleanane structure", ***Gazz. Chim. Ital***, Vol. 96, 772.
8. Canonica; L, Russo; G and Bombardelli; E (1966) "Triterpenes of *Glycyrrhiza glabra*. Liquiritic acid", ***Gazz. Chim. Ital***, Vol. 96, 833.
9. Canonica; L, Danieli; B, Manitto; P and Russo; G (1966) "Triterpenes of *Glycyrrhiza glabra*. Structure of Isoglabrolide", ***Gazz. Chim. Ital***, Vol. 96, 843.
10. Canonica; L, Danieli; B, Russo; G and Bonati; A (1967) "Triterpenes of *Glycyrrhiza glabra*. 18α-hydroxyglycyrrhetic acid", ***Gazz. Chim. Ital***, Vol. 97, 769.
11. Canonica; L, Danieli; B, Manitto; P, Russo; G *et al.* (1967) "Triterpenes of *Glycyrrhiza glabra*. Glycyrrhetol and 21α-hydroxyisoglabrolide", ***Gazz. Chim. Ital***, Vol. 97, 1347.
12. Canonica; L, Danieli; B, Manitto; P, Russo; G *et al.* (1967) "Triterpenes of *Glycyrrhiza glabra*. 24- hydroxyglycyrrhetic acid and 24-hydroxy-11-deoxyglycyrretic acid", ***Gazz. Chim. Ital***, Vol. 97, 1359.

13. Culpeper; N. (1995) “Culpeper’s Complete Herbal. A Book of Natural Remedies for Ancient Ills”, ***Wordsworth Reference***, Ware, p. 150, 314.
14. Dioscorides. (1958) “Pedanii Dioscuridis Anazarbei De materia medica libri quinque”, ***Weidmannos***, Berolini III, 5.II.343
15. Elgamal; MHA, Fayez; MBE and Snatzke; G (1965) “Constituents of Local Planta. Liquoric acid , a new triterpenoid from the Roots of Glycyrrhiza glabra L.”, ***Tetrahedron***, Vol. 21, 2109.
16. Fabricant; D S and Farnsworth; N R. (2001) ***EnViron. Health Perspect***, Vol. 109, 69.
17. Fuchs; L. (1545) “Leonharti Fuchsii medici, Primi de stirpium historia commentariorum”, ***Johann Bebel***, Basileae, p. 107.
18. Gilbert; B and Alves; LF. (2003) “Synergy in plant medicines”, ***Curr. Med. Chem***, Vol. 10(1), 13-20.
19. Gumpricht; E, Dahl; R, Devereaux; MW and Sokol; RJ (2005) “Licorice compounds glycyrrhizin and 18β-glycyrrhetinic acid are potent modulators of bile acid-induced cytotoxicity in rat hepatocytes”, ***J Biol Chem,*** Vol. 280, 10556–10563.
20. http://www.whonamedit.com/Doctor.cfm/2382.html (2005) “Alternative Medicine Review”, Vol. 10, 231-237
21. Hayashi; H, Hiraoka; N, Ikeshiro; Y, Yamamoto; H *et al*. (1998) “Seasonal variation of glycyrrhizin and isoliquiritigenin glycosides in the root of *Glycyrrhiza glabra L*”, ***Biol Pharm Bull***, Vol. 21, 987–989.
22. Hispalensis; I. (1911) “Etymologiarum sive originum, Typographeo Clarendoniano”, ***Oxonii***, libri XX, XVII, 9, 34.II, E.
23. Hatano; T, Fukuda; T, Liu; YZ, Noro; T, *et al*. (1991) “Phenolic constituent and Licorice Specimens from various sources, and inhibitory Effects of Licorice Extracts on xanthine Oxidase and Monoamine Oxidase”, ***Yakugaku Zasshi***, Vol. 111, 311.
24. Haraguchi; H (2001) “Antioxidative plant constituents”, **In *Bioactive Compounds from Natural Sources: Isolation, Characterization and Biological Properties***, Tringali C (ed.); Taylor and Francis, New York, 348–352.

25. ***Indian Herbal Pharmacopoeia***, vol.I (1998), Regional research laboratory & Indian drug manufacture association, Mumbai, 456

26. Jeong; HG, You; HJ and Park; SJ (2002) "Hepatoprotective effects of 18□-glycyrrhetinic acid on carbon tetrachloride-induced liver injury: inhibition of cytochrome P450 2E1 expression", ***Pharm Res***, Vol. 46, 221–227.

27. Kinoshita; T, Tamura; Y and Mizutani; K (2005) "The isolation and structure elucidation of minor isoflavonoids from licorice of *Glycyrrhiza glabra* origin", ***Chem Pharm Bull***, Vol. 53, 847– 849.

28. Koehn; FE and Carter; GT. (2005) "The evolving role of natural products in drug discovery", ***Nat. Rev. Drug Discovery***, Vol. 4(3), 206-220.

29. Linn´e; C. (1764) "Genera Plantarum Eorumque Characteres Naturales Secundum Numerum, Figuram, Situm et Proportionem, Laurentii Salvii, Holmiae", p. 882.

30. Linn´e; C. (1774) "Systema Vegetabilium Secundum Classes Ordines Genera Species cum Characteribus et Differentiis", ***Jo. Christ. Dieterich***, Gottingae et Gothae, p. 882.

31. Li; JR, Wang; YQ, Deng; ZZ (2005) "Two new compounds from *Glycyrrhiza glabra*", ***J Asian Nat Prod Res***, Vol. 7, 677–680.

32. Lin; G, Nnane; IP and Cheng; TV (1999) "The effects of pretreatment with glycyrrhizin and glycyrrhetinic acid on the retrorsineinduced hepatotoxicity in rats", ***Toxicon***, Vol. 37, 1259–1270.

33. Newman; DJ and Cragg; GM. (2003) "Natural products as sources of new drugs over the period 1981-2002", ***J. Nat. Prod***, Vol. 66, 1022-1037.

34. Newman; DJ and Cragg; GM. (2007) "Natural products as sources of new drugs over the last 25 years", ***J. Nat. Prod.***, Vol. 70(3), 461-477.

35. NIH (1990) "Recommendations for improving cholesterol measurement: A report from the laboratory standardization panel of National Cholesterol Education program publication No.90-2964".

36. Näf; R and Jaquier; A (2006) "New lactones in liquorice (*Glycyrrhiza glabra* L.)", ***Flavour Fragr J***, Vol. 21, 193–197.

37. Nakamura; T, Fujii; T and Ichihara; A (1985) "Enzyme leakage due to change of membrane permeability of primary cultured rat hepatocytes treated with

various hepatotoxins and its prevention by glycyrrhizin", ***Cell Biol Toxicol,*** Vol. 1, 285–295.

38. Nose; M, Ito; M, Kamimura; K and Shimizu; M (1994) "A comparison of the antihepatotoxic activity between glycyrrhizin and glycyrrhetinic acid", ***Planta Med***, Vol. 60, 136–139.
39. Nomura; T and Fukai; T (1998) "In Progress in the Chemistry of Organic Natural Products, W. Herz, G. W. Kirby, R. E. Moore, W. Steglich, Ch. Tamm (Eds.), Vol. 73, pp. 1–140, Springer, Vienna.
40. Nomura1; T, Fukai; T and Akiyama; T. (2002) "Chemistry of phenolic compounds of licorice (*Glycyrrhiza* species) and their estrogenic and cytotoxic activities", ***Pure Appl Chem***, Vol. 74, 1199–1206.
41. Ody; P, (2000) "The Complete Guide Medicinal Herbal", ***Dorling Kindersley***, London, 75.
42. Olukoga; A and Donaldson; D (1998) "Historical perspectives on health. The history of liquorice: the plant, its extract, cultivation, and commercialisation and etymology", ***J R Soc Health,*** Vol. 118, 300-304.
43. Plinius; C. (1897) "Plini Secundi Naturalis historiae, Teubneri, Lipsiae, libri XXXVII, XI, 119; XXII, 11; XXV, 43.II, IV.
44. Samuelsson; G. (2004) "Drugs of Natural Origin: A textbook of pharmacognosy", 5th Ed., ***Swedish Pharmaceutical Press***, Stockholm, 15-19.
45. Thompson; C. (1930) "Assyrian prescriptions for treating bruises or swelling", ***American Journal Semitic Languages and Literatures***, Vol. 47, 1–25.
46. Varshney; IP, Jain; DC and Srivastava; HC (1983) Study of Saponins from *Glycyrrhiza glabra* Root. ***Int. J. Crude Drug Res.***, Vol. 21, 169.
47. Williamson; EM (2003) "Liquorice. In Potter's Cyclopedia of Herbal Medicines", Daniels C W: Saffron Walden, UK, 269– 271.
48. Williamson; EM. (2001) "Synergy and other interactions in phytomedicines", ***Phytomed***. Vol. 8(5), 401-409,
49. Xiao-Tian; Liang and Wei-Shuo; Fang. (2006) "Medicinal chemistry of bioactive natural products", ***Wiley-Interscience***, 231
50. Zeng; L, Lou; ZC and Zhang; RY (1992) "Quality Evaluation of Chinese Licorice", ***Yaoxue Xuebao*** (Acta Pharm Sinica, China), Vol. 26, 788. Onishi;T

(1970) “Studies again to Sweets used in Soy Sauce”, ***Chomi kagaku*** (Seasoning sci., japan), Vol. 17, 31.

51.